

**The
Connection Machine
System**

***Lisp Master Index**

**Version 5.0
September 1988**

**Thinking Machines Corporation
Cambridge, Massachusetts**

First printing, September 1988

The information in this document is subject to change without notice and should not be construed as a commitment by Thinking Machines Corporation. Thinking Machines Corporation reserves the right to make changes to any products described herein to improve functioning or design. Although the information in this document has been reviewed and is believed to be reliable, Thinking Machines Corporation does not assume responsibility or liability for any errors that may appear in this document. Thinking Machines Corporation does not assume any liability arising from the application or use of any information or product described herein.

Connection Machine is a registered trademark of Thinking Machines Corporation.
CM-1, CM-2, CM, and DataVault are trademarks of Thinking Machines Corporation.
Paris, *Lisp, C*, and CM Fortran are trademarks of Thinking Machines Corporation.
VAX, ULTRIX, and VAXBI are trademarks of Digital Equipment Corporation.
Symbolics, Symbolics 3600, and Genera are trademarks of Symbolics, Inc.
Sun and Sun-4 are trademarks of Sun Microsystems, Inc.
UNIX is a trademark of AT&T Bell Laboratories.

Copyright © 1988 by Thinking Machines Corporation. All rights reserved.

Thinking Machines Corporation
245 First Street
Cambridge, Massachusetts 02142-1214
(617) 876-1111

Master Index

This master index combines references from each of the three *Lisp documents included in *Programming in *Lisp*. Letters preceding the page numbers indicate the document in which the entry may be found.

RM indicates **Lisp Reference Manual*.

RS indicates *Supplement to the *Lisp Reference Manual*.

CG indicates **Lisp Compiler Guide*.

!!, RM 28; RS 22, 49; CG 16, 59
+!!, RM 28; RS 4; CG 21
-!!, RM 28; RS 4; CG 21
*!!, RM 28; RS 4; CG 21
/!!, RM 28; RS 4; CG 21
/=!!, RM 25
=!!, RM 24; RS 4
>!!, RM 25
>=!!, RM 25
1+!!, RM 28; RS 4
1-!!, RM 28; RS 4

A

abs!!, RS 4
acos!!, RS 4
acosh!!, RS 4
add-declares, CG 35
add-initialization, RM 55
address objects, RS 97-101
address-nth, RS 99
address-nth!!, RS 99
address-plus-nth, RS 99
address-plus-nth!!, RS 100
address-rank, RS 99
address-rank!!, RS 99
*after-*cold-boot-initializations*,
RM 55
*after-*warm-boot-initializations*,
RM 55

alias!!, RS 32, 39, 48
aliasing, RS 32
*all, RM 19; RS 109
allocate!!, RM 11, 12
allocate-processors-for-vp-set,
RS 57, 64
allocated-pvar-p, RS 106
alpha-char-p!!, RS 14
alphanumericp!!, RS 15
*and, RM 49; CG 5
and!!, RM 26
*apply, RM 33
aref!!, RS 30, 34, 106
array pvars, RS 19, 131, 140
*array-dimension, RS 28
array-dimension!!, RS 28
*array-dimension-limit, RS 21
array-dimensions!!, RS 29
*array-element-type, RS 28
array-in-bounds-p!!, RS 29
array pvars, CG 12
*array-rank, RS 28
array-rank!!, RS 28
*array-rank-limit, RS 20
array-row-major-index!!, RS 29
array-to-pvar, RM 44
array-to-pvar-grid, RM 45
*array-total-size, RS 29
array-total-size!!, RS 29

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

*array-total-size-limit, RS 21
 ash!!, RM 29
 asin!!, RS 4
 asinh!!, RS 4
 atan!!, RS 4
 atanh!!, RS 4

B

backward routing, RS 170
 *before-*cold-boot-initializations*,
 RM 55
 *before-*warm-boot-initializations*,
 RM 55
 bit-and!!, RS 34
 bit-andc1!!, RS 35
 bit-andc2!!, RS 35
 bit-eqv!!, RS 34
 bit-ior!!, RS 34
 bit-nand!!, RS 35
 bit-nor!!, RS 35
 bit-not!!, RS 36
 bit-orc1!!, RS 35
 bit-orc2!!, RS 35
 bit-xor!!, RS 34
 boole!!, RS 116
 boolean pvars, RS 130, 135; CG 12
 booleanp!!, RS 110
 both-case-p!!, RS 14
 byte specifier, RS 119
 byte!!, RS 119
 byte-position!!, RS 120
 byte-size!!, RS 119

C

CM-2, CG 64
 CSS, RS 69, 145

ceiling!!, RM 29; CG 21
 char, RS 16
 char-bit!!, RS 17
 char-bits!!, RS 10
 *char-bits-length, RS 8
 *char-bits-limit, RS 8
 char-code!!, RS 10
 *char-code-length, RS 8
 *char-code-limit, RS 8
 char-downcase!!, RS 12
 char-equal!!, RS 17, 110
 char-flipcase!!, RS 12
 char-font!!, RS 10
 *char-font-length, RS 8
 *char-font-limit, RS 8
 char-greaterp!!, RS 17
 char-int!!, RS 12
 char-lessp!!, RS 17
 char-not-equal!!, RS 17
 char-not-greaterp!!, RS 17
 char-not-lessp!!, RS 17
 char-upcase!!, RS 12
 char/=!!, RS 16
 char=!!, RS 16
 char>!!, RS 16
 char>=!!, RS 16
 character-pvar, RS 131
 character pvars, RS 7-18, 112, 131, 136;
 CG 12
 character!!, RS 11, 112
 *character-length, RS 9
 characterp!!, RS 13
 cis!!, RS 4
 coerce!!, RS 111
 *cold-boot, RM 10, 53, 61; RS 56, 78
 combining routing, RS 170
 communication
 inter-VP set, RS 87-97

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

communication (*continued*)

inter-VP set operations, RS 91-97
interprocessor, RM 9; RS 77-104
interprocessor examples, RS 95
near neighbor, RS 68
router, RS 68
compare!!, RS 108
compilation-speed, CG 40
compilep, CG 6, 27
compiler-let, CG 25, 64
compiler options, CG 27, 28, 29, 30, 31,
 32, 35, 36, 37, 39, 40, 41, 42
menu, CG 22
safety, CG 18-24, 55
 setting values of, CG 22-26
compiling, CG 6
complex canonicalization, RS 3
complex contagion, RS 3
complex pvars, RS 1-6, 131, 139; CG 12
complex-pvar, RS 131
complex!!, RS 2, 112
complexp!!, RS 2
*cond, RM 20; CG 5
cond!!, RM 32
conjugate!!, RS 4
constant-fold, CG 39
copy!!, RS 38, 50, 86
copy-seq!!, RS 155, 157
cos!!, RM 30; RS 4
cosh!!, RS 4
count!!, RS 155, 164
count-if!!, RS 164
count-if-not!!, RS 164
create-geometry, RS 58, 67
create-segment-set!!, RS 145, 147
create-vp-set, RS 56-58, 64
cross-product, RS 154
cross-product!!, RS 150

cube address, RM 4, 62

cube-from-grid-address, RM 50; RS 80
cube-from-grid-address!!, RM 51; RS 81
cube-from-vp-grid-address, RS 87, 98
cube-from-vp-grid-address!!, RS 88, 98
current-cm-configuration, RM 56;
 RS 59
current-send-address-length, RS 59
current-grid-address-lengths, RS 60
current-vp-set, RS 59
currently selected set, RM 5, 19;
 RS 69, 145

D

*deallocate, RM 12
*deallocate-*defvars, RM 12
deallocate-vp-set, RS 66
debugging tools, RM 33
declare, RM 16; RS 107; CG 14, 16, 26,
 51, 53, 56, 57
declare statement, RM 16
def-vp-set, RS 56-58, 62
default-vp-set, RS 58
defined-float pvars, RS 130, 138; CG 12
defining *Lisp functions, RM 9
*defstruct, RS 23, 33, 39-54, 106
deftype, CG 12
*defun, RM 9, 15, 33, 34; RS 107, 109;
 CG 15, 26, 49, 52, 56, 57
defun, CG 51, 52
*defvar, RM 11; RS 57, 71; CG 56
delete-initialization, RM 55
deposit-byte!!, RM 31
describe-pvar, RS 105
describe-vp-set, RS 73
digit-char!!, RS 12
digit-char-p!!, RS 15
dimension-address-length, RS 60

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

dimension-size, RM 56 ; RS 80
do, CG 56
do-for-selected-processors, RM 20
dot-product, RS 154
dot-product!!, RS 150
double-complex-pvar, RS 112, 131
double-float pvar, RM 16; RS 112, 131
dpb!!, RS 120
dsf-cross-product!!, RS 153
dsf-v+!!, RS 152
dsf-v+-constant!!, RS 152
dsf-v-!!, RS 152
dsf-v—constant!!, RS 152
dsf-v*!!, RS 152
dsf-v*-constant!!, RS 152
dsf-v/-constant!!, RS 152
dsf-vector-normal!!, RS 153
dsf-vsclle!! , RS 153
dsf-vsclle-to-unit-vector!!, RS 153

E

enumerate!!, RM 32
eq!!, RM 24;
eql!!, RM 24; RS 110
equalp!!, RS 110
evenp!!, RM 23
every!!, RS 155, 158
exp!!, RS 4
expt!!, RS 4
extended-float, RS 131

F

fceiling!!, RS 113
ffloor!!, RS 113
field, RM 5
field pvars, RS 136

field-pvar, RS 130
*fill, RS 155, 159
find!!, RS 155, 162
find-if!!, RS 162
find-if-not!!, RS 162
flet, RS 108; CG 17
float!!, RM 30; RS 112; CG 22
float-epsilon!!, RS 115
floatp!!, RM 24
float-pvar, RS 130
float-sign!!, RS 114
floating-point accelerator, RS 171
floating-point pvars, RS 114
floor!!, RM 29; CG 21
front-end computer, data transfer,
RM 43
front-end pvars, RS 122, 135; CG 12
front-end!!, RS 122
front-end-p!!, RS 122
fround!!, RS 113
ftruncate!!, RS 113
ftype, CG 14, 56, 57
*funcall, RM 33
function, CG 14, 56

G

gcd!!, RS 118
general mutable pvars, CG 5, 12
general pvars, RS 122, 130, 132;
CG 5, 12
and type conversion, RS 135
generate-comments, CG 42
graphic-char-p!!, RS 14
grey-code-from-integer!!, RS 121
grid, RS 97, 98
grid address, RM 4, 62; RS 60

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

grid!!, RS 97, 98

grid-from-cube-address, RM 50; RS 81

grid-from-cube-address!!, RM 51; RS 82

grid-from-vp-cube-address, RS 89

grid-from-vp-cube-address!!, RS 90

grid-relative!!, RS 98

H

help, RS 105

I

*if, RM 20; CG 5

if!!, RM 31

imagpart!!, RS 4

immediate error if location, CG 19

immediate-error-if-location, CG 41

inconsistency-action, CG 28

indirect addressing, RS 31, 33, 170

initialize-character, RS 9

int-char!!, RS 13, 112

*integer-length, CG 5

integer pvar, RS 112, 118

integer-from-grey-code!!, RS 121

integer-length!!, RS 117

integer-reverse!!, RS 109

integerp!!, RM 24

interpreter-safety, RS 61, 123–125

interprocessor, RM 37–51

interprocessor communication,

RS 68, 77–104

irrational functions, and complex pvars,

RS 4

isqrt!!, RM 29; CG 21

L

labels, RS 108; CG 17

ldb!!, RS 120

ldb-test!!, RS 120

least-negative-float!!, RS 114

least-positive-float!!, RS 114

length!!, RS 155, 157

*let, RM 13, 15; RS 23, 42, 107, 109;

CG 5, 6, 15, 26, 49, 56, 57

let, CG 56

let, RM 13, 15; RS 23, 42, 107, 109;

CG 5, 15, 26, 49, 56

let-vp-set, RS 65

list-of-active-processors, RM 35

load-byte!!, RM 30

*locally, RS 107, 108; CG 15, 16, 26, 52,
53, 56, 60

log-number-of-processors-limit,
RM 56

log!!, RM 30; RS 4

*logand, RM 49; CG 5

logand!!, RM 27; RS 116

logandc1!!, RS 116

logandc2!!, RS 116

logbitp!!, RS 117

logcount!!, RS 117

logeqv!!, RM 27

logical operations, RM 26–27

*logior, RM 49; CG 5

logior!!, RM 27; RS 116

lognot!!, RM 27; CG 21

logorc1!!, RS 116

logorc2!!, RS 116

logtest!!, RS 117

*logxor, CG 5

logxor!!, RM 27

long-complex-pvar, RS 131

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

long-float pvar, RM 16; RS 131
lower-case-p!!, RS 14

M

machine-type, CG 32
make-array!!, RS 21
make-char!!, RS 11
*map, RS 36
*max, RM 49; CG 5
max!!, RM 28
mask-field!!, RS 121
memory management, RM 58
*min, RM 49; CG 5
min!!, RM 28
minimum-size-for-vp-set, RS 59
minusp!!, RM 24
mod!!, RM 29; CG 21
most-negative-float!!, RS 114
most-positive-float!!, RS 114
mutable general pvars, RS 133
mutable pvars, RS 132; CG 12, 61
multiple values, RM 61

N

N-D NEWS, RS 77—104
NEWS address, RS 68
near neighbor communication, RS 68
*news, RS 85
news!!, RM 10; RS 84
news-order, 68
nil!!, RM 7, 25
next-power-of-two->=, RS 108
not!!, RM 26
notany!!, RS 155, 158
notevery!!, RS 155, 158
*nreverse, RS 155, 157
nsubstitute!!, RS 155, 161

nsubstitute-if!!, RS 161
nsubstitute-if-not!!, RS 161
null!!, RS 110
numberp!!, RM 24
number-of-dimensions, RM 56;
 RS 59
number-of-processors-limit, RM 56;
 RS 59
numberp!!, RS 4

O

odd!!, RM 23
off-grid-border-p!!, RM 51; RS 83
off-grid-border-relative-p!!, RM 51;
 RS 83
off-vp-grid-border-p!!, RS 90
*optimize, RS 107; CG 16, 25
optimize, RS 107; CG 16, 25
optimize-bindings, CG 30
optimize-check-stack, CG 42
optimize-peephole, CG 30
*or, RM 49; CG 5
or!!, RM 26

P

Paris, called from *Lisp, RM 57
phase!!, RS 4
plusp!!, RM 23
position!!, RS 155, 163
position-if!!, RS 163
position-if-not!!, RS 163
power-of-two-p, RS 108
ppp!!, RS 125
ppp-address-object, RS 126
ppp-default-end, RM 34
ppp-default-format, RM 34

RM: **Lisp Reference Manual*.

RS : *Supplement to the *Lisp Reference Manual*.

CG: **Lisp Compiler Guide*.

ppp-default-mode, RM 34
ppp-default-per-line, RM 34
ppp-default-start, RM 34
pppdbg!!, RS 125
predicate operations, RM 23
*pref!!, RM 10
pref, RM 6, 14; RS 37, 94, 98, 106; CG 5
pref!!, RM 37, 61; RS 33, 40, 91, 93, 98,
 106, 170; CG 22
pref-grid, RM 14
pref-grid!!, RM 38, 61
pref-grid-relative!!, RM 39, 61
pretty-print-pvar-in-currently
 selected-set, RM 35
processor selection, RM 7
processors, RM 4
 non-selected, RM 59
*proclaim, RM 15; RS 43; CG 13, 53, 56,
 57
proclaim, CG 13
*pset, RM 40; RS 33, 91, 92, 170; CG 5,
 21, 22
*pset-grid, RM 41
*pset-grid-relative, RM 42
pull-out-subexpressions, CG 31
pvar, RM 4, 6, 11-17
pvar *, CG 12
(pvar *), RS 133; CG 5
pvar t, CG 12
(pvar t), RS 132; CG 5
pvar-to-array, RM 44
pvar-to-array-grid, RM 44
pvar type declaration, RM 15-17
pvar types, RS 129-142
pvar-vp-set, RS 73
pvarp, RM 12

pvars, extent, RM 59

R

random!!, RM 29
rank!!, RM 32
realpart!!, RS 4
reduce, RS 145
reduce!!, RS 155, 159
reduce-and-spread!!, RS 86
rem!!, RS 110; CG 21
return-pvar-p, RS 109
reverse!!, RS 155, 158
rot!!, RM 30
round!!, RM 29; CG 21
router communication, RS 68
routing
 backward, RS 170
 combining, RS 170
 sprint, RS 169

S

safety, CG 29
scale-float!!, RS 113
scan!!, RM 45; RS 79, 87
scan-grid!!, RM 48
scanning, RS 68, 145
segment sets, RS 145
segment-set-scan!!, RS 145, 146
selection, of processors, RM 19-21
self!!, RS 100
self-address, RM 7
self-address!!, RM 50
self-address-grid!!, RM 50; RS 80
send address, RS 59, 68, 101, 145
send-order, RS 68
sequence pvar, RS 155